Declaration of performance

Number: 2013-069 Rijswaard facing brick

(4) Manufacturer:					
Steenfabriek De Rijswaard B.V. De Rijswaard 2 NL-5308 LV AALST	Tel: +31 (0)418 - 55 22 21 Fax: +31 (0)418 - 55 29 00 www.rijswaard.nl		RIJSWAARD° BAKSTEEN		
(1) Unique identification code of the product- type	Rood	Rood			
(2) Typenumber	207222011 Regent VB EF / DR6B				
(3) Intended use or uses of the construction productbouwproduct	Units for use in unprotected masonry walls, colums and partitions.				
(6) System or systems of assessment and verification of constancy of performance of the construction product	2+				
(7) Notified body	Notified Body KIWA 0620-CPD performed under system 2+ the initial inspection of the manufacturing plant and of the factory production control, performed the continuous surveillance, assessment and evaluation of the factory production control and issued the certificate of conformity of the fact production control.				
(9) Declared performance:					
Dimensions		EF 215x100x65			
Length		213	m	_	
th		101	m	U Metselbaksteer Categorie I volgens EN771 1:2011 + A1:2015	
Height		64	nm		
Dimensional tolerance		Т2			
Range category		R1			
Flatness of bed faces		NPD			
Parallellisme legvlakken		NPD			
Gross dry density		1550	kg/m3		
Net dry density		NPD	kg/m3		
Tolerance Volumetric Mass: Class / %		DM ±15	%		
Total volume frog		<20%			
Group Eurocode		1			
Mean compressive strength		≥ 15	N/mm2		
Normalised compressive strength		≥ 15	N/mm2		
Bond strength		0.15 - 0.30			
Thermal conductivity		50/50: 0.48 / 90/90: 0.52	W/mK	EN 1745:2012	
Water vapour permeability		5/10			
[Durability : freeze/thaw resistance]		F2			
Water absorption		≤ 15 %	m/md		
Initial rate of water absorption		<6	kg/(m²min)		
Active soluble salt content		\$2			
[Dimensional stability: Moisture movement]		NPD	mm/m		
Dangerous substances		Voldoet		NL-BBK	
Reaction to fire		A1			

53° C E

(10) The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4. Signed for and on behalf of the manufacturer by

Atse Blei General Management



Aalst (NL) 15-Jan-2025